

NAVIGATE®

A SELECTIVE HERBICIDE FOR CONTROLLING CERTAIN UNWANTED AQUATIC PLANTS

ACTIVE INGREDIENTS:

Butoxyethyl ester, 2,4-Dichlorophenoxyacetic acid,27.6%

INERT INGREDIENTS:72.4%

TOTAL 100.0%

*Isomer specific by AOAC Method, Equivalent to 2,4-Dichlorophenoxyacetic Acid 19%

EPA Reg. No. 228-378-8959

EPA Est. No. 228-IL-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call Chemtrec Day or Night 1-800-424-9300

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, absorbed through skin, or inhaled. Causes eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. When handling this product, wear chemical resistant gloves. Wash thoroughly with soap and water after handling. When mixing, loading, or applying this product or repairing or cleaning equipment used with this product, wear eye protection (face shield or safety glasses), chemical resistant gloves, long-sleeved shirt, long pants, socks and shoes. It is recommended that safety glasses include front, brow and temple protection. Wash hands, face and arms with soap and water as soon as possible after mixing, loading, or applying this product. Wash hands, face and hands with soap and water before eating, smoking or drinking. Wash hands and arms before using toilet. After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during the previous day's mixing and loading or application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry. Remove saturated clothing as soon as possible and shower.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Drift or runoff may adversely affect fish and non-target plants. Do not apply to water except as specified on this label. Do not contaminate water when disposing of equipment washwaters. Unless an approved assay indicates the 2,4-D concentration is 100 ppb (0.1 ppm) or less, or, only growing crops and non-crop areas labeled for direct treatment with 2,4-D will be affected, do not use water from treated areas for irrigating plants or mixing sprays for agricultural or ornamental plants. Unless an approved assay indicates the 2,4-D concentration is 70 ppb (0.07 ppm) or less, do not use water from treated areas for potable water (drinking water).

Clean spreader equipment thoroughly before using it for any other purposes. Vapors from this product may injure susceptible plants.

Most cases of ground water contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of ground water supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent ground water contamination.

STORAGE AND DISPOSAL

STORAGE

Always use original container to store pesticides in a secure warehouse or building. Do not store near seeds, fertilizers, insecticides or fungicides. Do not stack more than two pallets high. Do not contaminate water, food or feed by storage or disposal. It is recommended that a SARA Title III emergency response plan be created for storage facilities. Do not transport in passenger compartment of any vehicle.

PESTICIDE DISPOSAL

Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, clean up spilled material. Improper disposal of excess pesticide is a violation of Federal law and may contaminate ground water. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Do not reuse empty bag. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If bag is burned, stay out of smoke.

MANUFACTURED FOR:



SEE ADDITIONAL PRECAUTIONS AND DIRECTIONS ON BACK

www.appliedbiochemists.com

NAVIGATE is a trademark of Applied Biochemists

NET WT. 50 LBS. (22.68 KG)

13529

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

READ THIS ENTIRE LABEL BEFORE USING THIS PRODUCT

GENERAL PRECAUTIONS AND RESTRICTIONS


Do not use in or near a greenhouse.

OXYGEN RATIO

Fish breathe oxygen in the water and a water-oxygen ratio must be maintained. Decaying weeds use up oxygen, but during the period when NAVIGATE® should be used, the weed mass is fairly sparse and the weed decomposition rate is slow enough so that the water-oxygen ratio is not disturbed by treating the entire area at one time.

If treatments must be applied later in the season when the weed mass is dense and repeat treatments are needed spread granules in lanes, leaving buffer strips which can then be treated when vegetation in treated lanes has disintegrated. During the growing season, weeds decompose in a 2 to 3 week period following treatment.

Buffer lanes should be 50 to 100 feet wide. Treated lanes should be as wide as the buffer strips. (See illustration below)



WATER pH

Best results are generally obtained if the water to be treated has a pH less than 8. A pH of 8 or higher may reduce weed control. If regrowth occurs within a period of 6 to 8 weeks, a second application may be needed.

PERMIT TO USE CHEMICALS IN WATER

In many states, permits are required to control weeds by chemical means in public water. If permits are required, they may be obtained from the Chief, Fish Division, State Department of Conservation or the State Department of Public Health.

GENERAL INFORMATION

NAVIGATE® is formulated on special heat treated attaclay granules that resist rapid decomposition in water, sink quickly to lake or pond bottoms and release the weed killing chemical in the critical root zone area. This product is designed to selectively control the weeds listed on the label. While certain other weeds may be suppressed, control may be incomplete. Reduced control may occur in lakes where water replacement comes from bottom springs.

WHEN TO APPLY

For best results, spread NAVIGATE® in the spring and early summer, during the time weeds start to grow. If desired, this timing can be checked by sampling the lake bottom in areas heavily infested with weeds the year before. If treatments are delayed until weeds form a dense mat or reach the surface, two treatments may be necessary. Make the second treatment when weeds show signs of recovery. Treatments made after September may be less effective depending upon water temperatures and weed growth. Occasionally, a second application will be necessary if heavy regrowth occurs or weeds reinfest from untreated areas.

HOW TO APPLY

FOR LARGE AREAS: Use a fertilizer spreader or mechanical seeder such as the Gerber or Gandy or other equipment capable of uniformly applying this product. Before spreading any chemical, calibrate your method of application to be sure of spreading the proper amount. When using boats and power equipment, you must determine the proper combination of (1) boat speed (2) rate of delivery from the spreader, and (3) width of swath covered by the granules.

FOR SMALL AREAS: (Around Docks or Isolated Patches of Weeds): Use a portable spreader such as the Cyclone seeder or other equipment capable of uniformly applying this product. Estimate or measure out the area you want to treat. Weight out the amount of material needed and spread this uniformly over the area. More uniform coverage is obtained by dividing the required amount in two and covering the area twice, applying the second half at right angles to the first.

Use the following formula to calibrate your spreader's delivery in pounds of **NAVIGATE PER MINUTE**:

$$\frac{\text{Miles per hour} \times \text{spreader width} \times \text{pounds per acre}}{495} = \text{pounds per minute}$$

Example: To apply 100 pounds of **NAVIGATE** per acre using a spreader that covers a 20 foot swath from a boat traveling at 4 miles per hour, set the spreader to deliver 16 pounds of **NAVIGATE** granules per minute.

$$\frac{4 \text{ mph} \times 20 \text{ feet} \times 100 \text{ Lbs./A}}{495} = 16 \text{ Lbs./Min.}$$

AMOUNTS TO USE

Rates of application vary with resistance of weed species to the chemical, density of weed mass at time of treatment, stage of growth, water depth, and rate of water flow through the treated area. Use the higher rate for dense weeds, when water is more than 8 feet deep and where there is a large volume turnover.

| | NAVIGATE POUNDS PER ACRE | NAVIGATE POUNDS PER 2000 SQ. FT. |
|---|--------------------------------|--|
| SUSCEPTIBLE WEEDS | | |
| Water Milfoil (Myriophyllum spp.) | 100 TO 200 | 5 |
| Water stargrass (Heteranthera dubia) | | |
| SLIGHTLY TO MODERATELY RESISTANT WEEDS | | |
| Bladderwort (Utricularia spp.) | 150 to 200 | 7-1/2 to 10 |
| White water Lily (Nymphaea spp.) | | |
| Yellow water lily (Nuphar spp.) | | |
| Or spatterdock* | | |
| Water shield (Brasenia spp.) | | |
| Water chestnut (Trapa natans) | | |
| Coontail* (Ceratophyllum Demersum) | | |
| *Repeat treatments may be needed | | |

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes all risk of any use contrary to such directions. SELLER MAKES NO OTHER WARRANTY EXPRESSED OR IMPLIED AS TO FITNESS OR MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO EXCEPT IN WRITING WITH SPECIFIC REFERENCE TO THIS WARRANTY. In no event shall the Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.